AP 10454

Claim Rejections - 35 USC § 102

The examiner asserted that claims 11 as amended on September 17, 2007, contained new subject matter which had not been disclosed in the original claims or in the specification.

Applicant disagrees. One passage cited by the examiner, page 2, line 4 of the specification, reads that the fuse bridge contains or is made of a basic material with a melting point lower than the melting point of the material of which the strip conductors are made. If it examiner's interpretation of the language were corrrect, this passage would mean that the material "comprises or comprises" a basic material with the lower melting point. This would be redundant and would not make sense. If something is made of a material (as opposed to made with a material), it consists of that material. Accordingly, the meaning of the sentence is that the bridge comprises or consists of the material. A pencil is not made of graphite. It is made with graphite.

Applicant also refers to the German-language original PCT application, published as WO 2004/002202. The corresponding language of the German text reads,

"Bezüglich der Leiterplatte wird diese Aufgabe erfindungsgemäß dadurch gelöst, dass mindestens eine der Versorgungsleiterbahnen eine Unterbrechung aufweist, welche mit einer Schmelzbrücke leitend überbrückt ist, wobei die Schmelzbrücke ein Basismaterial enthält oder aus diesem besteht, welches einen Schmelzpunkt aufweist, welcher niedriger ist als der Schmelzpunkt des Materials, aus dem die Leiterbahnen bestehen."

(See page 1 last paragraph to line 2 on page 2).

The submitted translation in the present application of the underlined words reads "contains or is made of a basic material." The term "made of" was used to translate the verb "aus [...] besteht." However "bestehen aus" (infinitive of the verb) means "to consist of," not "to comprise." Reference is made to De Vries and Herrmann, German-English Technical and Engineering Dictionary, Second Edition, McGraw-Hill

AP 10454

1966. On page 175, the verb *bestehen* (lowercase entry in dictionary) and the participle *bestehend* (consisting) are listed. The preposition "aus" is only mentioned under the participle, where the translation is given as "consisting of." The meaning of "comprise" would be reflected by the verb *umfassen*, not by *bestehen aus*. (see page 1029 of the same dictionary). But the verb was not the one used.

The present application is National Phase of the PCT application. Accordingly, the language of claim 11 was disclosed in the specification.

The other quotes provided by the examiner describe optional additional features, not necessary ones. The description of the embodiment is not limiting. The drawing would not look any different if the embodiment were not coated with solder.

Claim 11 was rejected under 35 as being anticipated by Kruger. As explained in the previous amendment, Krueger's bridge does not consist of lower-melting material. Additionally, Krueger's fuse does not have a gap or break that is bridged. Krueger applies the lower-melting material on top of the conductor material. The strips 136 (Fig. 3), 135 (Fig. 4) and 85 (Fig. 5) all designate continuous connecting conductor strips whose meliting point as such is not lower. They becomes fusible only in the locations of the additional application of the second conductive layer 138 due to the "Meffect" according to column 6, lines 10-15. This means that in the location of the fuse, there are always two materials present. In the present invention, this is not necessary. The ends of the fusible bridge may be connected to the conductor material using a regular soldering alloy, but there is no need to use soldering alloy at all or to have a second material between the ends of the fuse bridge, i.e. the actual melting location.

Claim 11 as previously presented is thus believed to be patentable.

Claim Rejections – 15 USC § 103

Claims 16, 17 and 20 were rejected under 35 U.S.C. 103 (a) as being unpatentable over Krueger et al. in view of Montgomery et al.

AP 10454

Claims 16 and 17 depend on amended claim 11 and are thus believed to be patentable.

The arguments made with reference to claim 11 apply to claim 20 as well. Accordingly, claim 20 is believed to be patentable.

CONCLUSION

Accordingly, Applicant believes that the rejections do not apply to the claims as presented in the amendment of September 17, 2007 overcome the rejections.

Respectfully submitted,

Gerlinde M. Nattler
Registration No. 51,272
Continental Teves, Inc.
One Continental Drive
Auburn Hills, MI 48326
(248) 393-8721
Agent for Applicants

Encls: Selected pages from De Vries and Herrmann, German-English
Technical and Engineering Dictionary, Second Edition, McGraw-Hill
1966

GERMAN - ENGLISH TECHNICAL AND ENGINEERING **DICTIONARY**

Dr. Louis DeVRIES formerly Professor, Iowa State University

and

THEO M. HERRMANN

SECOND EDITION Completely Revised and Enlarged

McGRAW-HILL BOOK COMPANY LONDON SYDNEY TORONTO

RANDSTETTER VERLAG KG · WIESBADEN

GERMAN-ENO
TECHNICAL
ENGINEERIN
Second Edition

By Louis De Vri Theo M. Herrn

This internation dictionary has b work in its field, the engineer, restranslator, and s English translatitechnical and er are featured. Sp and engineering following fields covered: construelctrotechnolog mathematics, ratelevision.

The Second Edicomprehensive of terms, approximathe First Edition new entries replaoriginal edition v

Much of the wid professional lang appears for the fl dictionary. Term astronautics, autinertial navigatic steering-control completely new. recently coined widevelopments in physics, space flig included. Many contributed direct

(continued on be

"I shall not think my employment useless or ignoble if . . . my labors afford light to the repositorics of science."

DR. SAMUEL JOHNSON

German-English Technical and Engineering Dictionary, Second Edition. Copyright © 1966 by McGraw-Hill, Inc. All Rights Reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publishers.

Library of Congress Catalog Card Number: 65-23218

Alleinauslieferung und Vertrieb für Deutschland Oscar Brandstetter Verlag KG, Wiesbaden

Exclusive rights of sale in Germany Oscar Brandstetter Verlag KG, Wiesbaden

ISBN 07-016631-5

15 16 VBVB 89

in fuse -antrieb m clockwork action pe f clockwork are lamp -nachschub rk feed -verzugzünder m clockwork -zeitschalter m clockwork time ider m mechanical time fuse, clock-

watch or clock pivot

hand of a clock, indicator dem etzt counterclockwise Im Sinne des **Hockwise**

n, im ~ clockwise entgegen dem ~. anticlockwise

ck time, time die - feststellen to he (watch) time gesetzliche ~ legal

se f time announcement, time teichen n clock or time signal ne fuse, clockwork fusc fscale of alburnum ig m very-high-frequency recep-(ception) ige f VHF direction finder unk m VHF radio telephony

Kugel Ulbricht sphere-type photo-

Imanite n wood

hite thung f ultrasonic attenuation xer-audio, super-sonic -audion x beschleuniger m ultra accelerator e f ultrahigh-frequency wave m ultradyne receiver -hoch infester Stahl ultra-high-tensile quenz / ultrahigh frequency ential n ultraionization potential

pl very high frequencies ashort-wave set -empfunger m ency receiver -gerat nultrashorts -sender m ultrahigh-frequency I in ultrashort-wave part -überishort-wave transmission -vortrashort-wave preamplifier ltra-violet lamp -leicht ultraremely tight

"amarine -ersatz m ultramarine

ultramicroscope h ultramicroscopic -e Erforby ultramicroscopic illumina-

infrared -er Strahl infrared ray If noctovisor scan -absorption tion -durchlässigkeit fultrared smittancy -sperre / infrared fultrared radiation -undurchnfrared asonics Echolot mit - echo

f supersonic frequence aic (sensing), tracer -laufzett : delay-line -laufzeltstrecke ion time -lehre f ultrasoni nic sounding -reinigung

g -prüfung f ultrasonic test m ultrasonic control asonic vibration -strobo iscope -verzögerungsleituß

1029

ultra-schnelles Relais - Umfassung

supersonic delay-line -welle f supersonic wave. ultrasonic wave -wellenfrequenz / supersonic frequency -zelle / supersonic light valve ultra-schnelles Relais high speed relay -schwarz-

pegel m blacker-than-black region -schwärzung infrablack condition -schwerer Kern superheavy nucleus -schwerewelle f ultra gravity

Ultrasonknali m sonje boom

Ultrastrahlenintensität, Linie gleicher isochasm

Ultrastrahlung f, kosmische ~ cosmic rays or radiation

Ultrateil m radio-frequency unit

ultraviolett ultraviolet -e Strahlen ultraviolet rays Ultraviolett-bestrahlung f treatment by ultraviolet radiation -durchlässig transparent to ultraviolet light

Ultra-wasser n optically empty water -weich ultra soft -weißgebiet n ultrawhite region -zentrifuge f ultracentrifuge, highspoed centri-

umandern to alter, change, modify, amend (an application), vary

Umanderung f alteration, change, variation. conversion

umarbeiten to work over Umbändelung/wrapping

Umbaumeapparat m rewinding machine umbaumen to run from one to another beam Umbau m rebuilding, reequipment, reconstruction: (Gebäude) structural alteration

umbauen to remodel, rebuild, redesign, convert. change, reconstruct

Umbaukosten / cost of conversion umbauter Raum m space enclosed umbetten change the course (of a river)

umbeugen to turn round umbicgen to bend over, fold, deflect, camber. round or back, double back, crimp

umbilden reorganize, transform, remodel, reform Umblidgerät n transformation apparatus Umblidung / transformation, reorganization umbinden to tic or wrap around

Umblenden foross fading (TV)

Umblick m back-glance (unobstructed vicw) Umbohrung f drilling alongside, spudding (min.) umbordeln to flange or bead (a tube), border, bead over das Rohr ~ to flange the tube or

Umbordelung flianging Umbra fumber

Umbralgias numbral lens umbrechen to make up (print.) die Seiten - to impose the pages

Umbrecher m make-up (print.)

Umbruch m by-pass, brake (in a drive or gallery)

- der Linie line break, breakdown Umbuchung / bookkeeping transfer

Uncodierer m code convertor Umcodierung feode conversion

amdecken to cover, protect ein Dach - to re-

Condestillation / redistillation unidestillieren to redistill, rectify andrehbar reversible, rotatable

indrehen to turn around, rotate, revolve, tecken, twirl

Umdrehung frevolution, rotation, turn steigende ~ climbing turn Umdrehungen in der Minute revolutions per minute

Umdrehungs-achse faxis of rotation -anzeiger m speed indicator -bewegung f rotatory motion -durchmesser m diameter of rotation -ellipsoid n allipsoid of revolution fernzeiger m speed teleindicator fläche f plane of rotation -belipot n rotary helipotentiometer -geschwindigkelt f speed of rotation -Rorper m solid or body of revolution or rotation -kraft / force

(propelling)

Umdrehungs-messer m tachometer -paraboloid n paraboloid generated by rotation -punkt m center of rotation richtung f direction of rotation -spur / revolution mark -winkel m angle of rotation -zahl / number of revolutions. speed -28hler m tachometer, revolution counter Umdruck m transfer process (print.), manifold printing, mimeograph or offset reproduction, reprint, circular -farbe f reprinting ink -fitissigkest f posting fluid -karte f copy map -marklerungseinrichtung f marking device -papier n transfer paper -presso / reprinting press -verfahren n reproduction process

Umesterung fester interchange, alcoholysis

umfahren to detour

Umfahrtstraße f by-pass road Umfahrung f by-pass

Umfahrungsstrecke / by-pass

umfailen to tfit over, turn over on the side, tumble, dissolve and reprecipitate nach rickwärts ~ to topple backward

Umfallen n overturning umfalzen to bead, crimp over

Umfang m circumference, circuit; (Umkreis) periphery; (Ausdehnung) extent, size; (Reichweite) radius, range; (Rauminhalt) volume, width, scope, extent, bulk, contour, girth, perimeter, circle, compass, dimension, latitude, confines am - befindlich peripheric in größerem

Umfangkraft f tangential force, circumferential force, peripheral force

Umfangmasse bei seemäßiger Verpackung shipping dimensions

umfangreich ample, extensive, voluminous Umfangs-fläche / peripheral area -geschwindig-keit / peripheral speed, circumferential speed -geschwindigkeitsmesser m tachometer -kabel circumferential wire komponente f tangential component -kraft f tangential force, circumforential force, peripheral force kreis m circumferential circle last fradial load

Umfangs-reibung f rolling contact -richtung f peripheral or circumferential direction -schwingung f circumferential oscillation or vibration -spanning f circumferential tension -telling f circular pitch, transverse pitch -verzahnung f cathodrical gearing -widerstrad m circum-ferential resistance -winkel m angle in a segment

umfärben to re-dyc

Umfärbeverfahren a re-dyeing process

umfassen to outflank, embrace, envelop, comprisc, span, encompass

umfassend extensive, far-reaching, comprehensive, embracing

Umfassung fenvelopment

174

aviation), draft cloth, packing ty horses ~ der r verstellbare ~ cockpit dopc -stoff m

cotton, etc.)
wan ashlar with

aided -er Draht apped cable er, arrange, conste ik, conversation, atrol ~ mit Eisen-

ice action with

Rohre voice con-

d pickup outfit
ort exemplar n
ordinary microerophone, sound
ninutes -punkt m
mpressed -raum m
rence room

:d. voice-actuated ressed or voice-

, water

edium
coil-load, pupinize,
a cable
cansmission line er

ly with oil
sinization, provision
ing means — eines
kente ~ extra light
ium-weight loading
ibertragung program
lais rolay windings

scheme ing apparatus Bessel function of the

's function ner plant, Bossemes eb m Bessemer work

r converter stahl reel, Bessemer stranger indry. Bessemer plan riron or steel iron. Bessemer limited in the standard iron.

mer pig iron schl ner heat - acid Bessemet .

Bessemerverfahren n Bessemer (converting) process, air-refining process, pneumatic process

bessere Sorte superior grade

bessern to mend, improve sich ~ to improve Besserung f improvement, betterment, recovery, correction (law)

best- most effective

bestallen to install, invest (with)

Bestand m stock, amount, durability, stability, inventory, existence, duration, supply, strength (of a unit), continuance, consistency, balance, cash in hand, stand (forest), value, reserve, holding stofflicher — material constituents
Bestände pl material stocks — an Verpackungen packing stocks — an unverpackten Waren packed stocks — an unverpackten Waren bulk stocks beständig flast (colors), steady, constant, stable, resistant, durable, permanent, continuous, invariable, steadfast, lasting, settled, proof — gegen physikalische Einflüsse exposure-proof material kälte — antifreezing rost — stainless e

Phase stable phase Beständiger m stabilizer

Beständigkeit f constancy, invariability, continuity, permanence, stability, steadiness, durability, persistence, constancy, perseverance, resistance chemische ~ chemical resistance; (mechanische) ~ (mechanical) properties ~ der Frequenz frequency stability ~ verleihendes Mittel stabilizer

Beständigmachen n stabilization
Bestandsaufnahme f inventory, stocktaking physische oder effektive ~ physical verification or
stocktaking ~ durch Zählung physical verifica-

tion

Bestands-aufstellungen pl stock records -bewegung nach Sorten stock movements by grades

-buch n inventory, stock or store book -karte f

balance card, map of stock (forest) -konten pl

stock accounts -liste f inventory of supplies,

cuipment, property book -meldung f stock

statement -nachweisung f stock inventory,

stock report

Destandteil m constituent, ingredient, compotient part, substance, mater brennbarer ~ sombustible or inflammable constituent fremlies ~ foreign matter or substance unverbrenntient ~ incombustible constituent wesentlicher clement

tandteile m pl. in seine ~ auflösen to disintoarte mineralische – mineral matter

Händteillisten pl parts lists Händsüberprüfungen und Bestätigung slock

king and certification indistibersicht /, monatliche = monthly

ck summary Sinds-unterlagen pl stock records -verminde-Self stock decrease

sliges to confirm

digte Bestellung official confirmatory order

dynamy fronfirmation, statement, acknowgrent betriebliche – routine acknowledg-

migsurtell f confirmatory decision to dust, powder; (m. Flussigkeit)

ngs-apparat m dusting apparatus -gerat

Bessemerverfahren — bestimmt

n powder outfit vorrichtung f dust kit
Bestauciese f selection (of the fittest)
Bestechung f bribe, bribery, graft (slang)
Besteck n instruments (med.), cutlery, Instrument case, position, sight (astron.), dead reckoning, ship's position, set of instruments or utensils fix (navig.) berechnung f dead reckoning breite f latitude of fix, reckoned latitude

bestecken to stick on Besteck-fehler m error in fix or reckoning -filmrung f dead reckoning -filmrung f dead reckoning -filmrung f dead reckoning -filmrung f fixing a position, reckoning (ship's position by dead reckoning), dead reckoning -stanzen f pl blanking dies

Besteckungskosten / trimming expense
Besteckversstzung / difference between dead and
observed reckoning

bestehen to exist, be composed of, endure, stand, pass an examination ~ auf to insist on ~ in to consist in

Bestehen n existence, validity
bestehend consisting (of) aus Eisen ~ iron aus
zwei Metallen ~ bimetallic aus einem Stück ~
(mit etwas), integral

hestehende (geführte, laufende) Konten current accounts in operation

besteigen to climb, board, go on board, mount, complane cin Flugzeug - to emplane

bestelnen to stone (pavement)
Bestell-angaben pl details for ordering -bar deliverable (as mail) -buch n order book
bestellen to order, (telegrams) deliver (up),
assign (a representative), cultivate (a field)

assign (a representative), cultivate (a new)
Besteller m customer, purchaser, messenger,
calling subscriber (teleph.)

Bestell-formular n order form -gebühr f charge fee, postags, delivery expense -liste f code number, catalogue number, purchase order number -maß n specified dimension -number f requisition number -scheln m order sheet or

form, requisition

Bestellung forder, delivery, assignment, cultivation, requisition, indent auf ~ gemacht
custom-made auf ~ machen to custom-make

Bestellungsabteilung f procurement department,
purchasing department -arkunde f certificate of
appointment

Bestell-vordruck m order form, order sheet
-wesen n ordering-wort n code word -zeichen n
ordering reference -zeit f delivery period, time
of ordering, sowing time -zettel m order form

bestenfalls at best bestens in the best way, very much

bestevern to tax

Besteverung f taxation

Bestform-Glas n bestform lons

bestfelen to helve, equip with a handle

Bestiften n studding bestiftet studded -e Schlagwelle f picking shaft bestimmbar predictable, estimable, definable, subject to influence nicht im voraus ~ unpredic-

table
bestlmmen to determine, state, analyze, decide,
stipulate, fix, define, specify, plot (curve)
bestlmmt fixed, definite, certain, precise, specific,

PAGE 9/9 * RCVD AT 1/15/2008 3:48:37 PM [Eastern Standard Time] * SVR:USPTO-EFXRF-5/10 * DNIS:2738300 * CSID:248 393 8722 * DURATION (mm-ss):02-28